

Real Carbon

Real Carbon Clear

CATEGORY	VALUE	CATEGORY	VALUE
Top Coating	PLATICOAT™	Temperature Resistance	-40°-120°
Base Film Type	Polycaprolactone Aliphatic TPU	Initial peel adhesion	9N/in
Adhesive Type	Repositionable Acrylic PSA	Elongation at break	308%
Self-healing	PASS	60° Surface Gloss	61
Film Thickness	7.48mil	UV Test	5000 Hours Pass
Film Specification	60in.x50ft.	Chemical Resistance	No Harm
Warranty	10 Years	Anti Rock Chips Test	PASS

*The above data is used as a reference for material selection, but does not constitute a guarantee.

*The company has the right to modify the relevant technical data without prior notice.



Easy Installation



Prevent Stains



Optical Clarity And Shine



Self-Healing



10-year Warranty

Real Carbon

Real Carbon Black

CATEGORY	VALUE	CATEGORY	VALUE
Top Coating	PLATICOAT™	Temperature Resistance	-40°-120°
Base Film Type	Polycaprolactone Aliphatic TPU	Initial peel adhesion	24N/in
Adhesive Type	Repositionable Acrylic PSA	Elongation at break	310%
Self-healing	PASS	60° Surface Gloss	36
Film Thickness	8.18mil	UV Test	5000 Hours Pass
Film Specification	60in.x50ft.	Chemical Resistance	No Harm
Warranty	10 Years	Anti Rock Chips Test	PASS

*The above data is used as a reference for material selection, but does not constitute a guarantee.

*The company has the right to modify the relevant technical data without prior notice.



Easy Installation



Prevent Stains



Optical Clarity And Shine



Self-Healing



10-year Warranty